

# MOTOR MOUNTS

## FORD COVER AND MOUNT



**CAST ALUMINUM**

**Ford 352-390-406-427 & 428 cu. in.**

Engineered for maximum strength. Features heat treated extruded aluminum alloy. All bolts and aluminum angle for installation are included. Adjustable stringer spacing from 22" to 28".

	Catalog No.	Item No.
Cover with Pump Drive	35202	891

## FORD FLYWHEEL COVER



**CAST ALUMINUM**

**Ford 352-390-406-427 & 428 cu. in.**  
**Made to receive starters 1964 or later**

One piece rear mounts bolt directly to the engine and are machined to receive the starter. Adjustable stringer spacing from 22" to 28".

	Catalog No	Item No.
	35302	908

## CHRYSLER COVER AND MOUNT



**CAST ALUMINUM**

**361-363-383-413-426 & 440 cu. in.**

Designed for simple installation. Furnished with extruded aluminum angle to bolt through stringers. Adjustable stringer spacing from 22" to 28".

	Catalog No.	Item No.
Cover with pump drive for single bolt cam	35203	892
Cover with pump drive for three bolt cam	35233	901

## CHRYSLER FLYWHEEL COVER



**CAST ALUMINUM**

**361-383-413-426 & 440 cu. in.**  
**B engines 1959 and later**

Motor mounts are furnished with extruded aluminum angle to bolt through stringers. Adjustable stringer spacing from 22" to 28".

	Catalog No.	Item No.
With gear reduction starter	35303	909

# MOTOR MOUNTS

## PONTIAC COVER AND MOUNT



**CAST ALUMINUM**  
Pontiac 1965-1979

Lightweight design, made from durable 356 T-6 aluminum alloy. Easy installation. All bolts, aluminum angle and pump drive are included. Adjustable stringer spacing from 22" to 28".

Catalog No.	Item No.
35204	893

## OLDS-PONTIAC FLYWHEEL COVER



**CAST ALUMINUM**  
Oldsmobile-Pontiac 1965-1988

One piece flywheel covers add a custom look to an engine. Furnished with highly polished extruded aluminum angle.

Catalog No.	Item No.
35304	910

## CHEVROLET COVER AND MOUNT




**CAST ALUMINUM**  
Chevrolet 396 - 427 & 454 cu. in.

Designed to handle the horsepower and torque loads of the big block Chevrolet engine. All bolts, aluminum angle and pump drive are included. Adjustable stringer spacing from 22" to 28".

Catalog No.	Item No.
35205	894

## CHEVROLET FLYWHEEL COVER



**CAST ALUMINUM**  
Chevrolet V-6 - 327 - 350 - & 400 cu. in. (1964-2002); 396 - 427 - 454 & 502 cu. in. One piece flywheel covers bolt directly to the engine. Machined to receive starter. Easy installation. All bolts and aluminum angle are included. Adjustable stringer spacing from 22" to 28".

Catalog No.	Item No.
35305	911

# MOTOR MOUNTS

## CHEVROLET FRONT MOUNT




### CAST ALUMINUM

Chevrolet 396 - 427 & 454 cu. in.

The most advanced design in engine mounts. Features full adjustment. Engine mounts on rubber shock pads. Reduces vibration and noise. Adjustable stringer spacing from 22" to 26".

Catalog No.	Item No.
35206	895

## CHEVROLET FLYWHEEL COVER



### CAST ALUMINUM

Chevrolet 396 - 427 & 454 cu. in.

A companion mount to Glenwood's #895 rubber front motor mount. These mounts are fully adjustable and install easily in a variety of deep vee hulls. Adjustable stringer spacing from 22" to 26".

Catalog No.	Item No.
35306	912

## OLDSMOBILE FRONT MOUNT



### CAST ALUMINUM

Oldsmobile 425 & 455 cu. in.

Adjustable rubber front mount reduces vibration, and lowers noise levels. Adjustable stringer spacing from 22" to 26".

Catalog No.	Item No.
35207	896

## OLDSMOBILE FLYWHEEL COVER



### CAST ALUMINUM

Oldsmobile 425 & 455 cu. in.

One piece flywheel cover with fully adjustable rubber mounts. These mounts are easily installed. Adjustable stringer spacing from 22" to 26".

Catalog No.	Item No.
35307	913

# MOTOR MOUNTS

## CHEVROLET FRONT MOUNT




### CAST ALUMINUM

Chevrolet V-6-283-327 & 350 cu. in.  
Chevrolet 396-427-454 & 502 cu. in.

These mounts will adapt to engine stringer spacing from 22" to 26".

	Catalog No.	Item No.
Small Block	35209	1292
Big Block	35210	897

## CHEVROLET REAR MOUNT



### CAST ALUMINUM

Chevrolet V-6-283-327 & 350 cu. in.  
Chevrolet 396-427-454 & 502 cu. in.  
(1964-2002)

Bolts directly to engine, machined to receive starter. Engine stringer spacing from 22" to 26".

Catalog No.	Item No.
35310	914

## OLDSMOBILE FRONT MOUNT




### CAST ALUMINUM

Oldsmobile 425 & 455 cu. in.

Highly polished aluminum finish.  
Durable lightweight construction. Engine stringer spacing from 22" to 26".

Catalog No.	Item No.
35211	898

## OLDSMOBILE REAR MOUNT



### CAST ALUMINUM

Oldsmobile 425 & 455 cu. in.

Bolts directly to engine. Machined to receive starter. Engine stringer spacing from 22" to 26".

Catalog No.	Item No.
35311	915

# MOTOR MOUNTS

## FORD FRONT MOUNT



**CAST ALUMINUM**  
Ford 429-460 cu. in.

Perfect mount for big block Ford V-8. Engine will adapt to stringer spacing from 22" to 26".

Catalog No.	Item No.
35214	900

## FORD REAR MOUNT



**CAST ALUMINUM**  
Ford 429-460 cu. in.

Highly polished aluminum finish. Bolts directly to engine. Precision machined to receive starter motor. Stringer spacing from 22" to 26".

Catalog No.	Item No.
35314	917

## BORG WARNER/CHEVROLET REAR MOUNT WITH TOP MOUNT STARTER

Designed for boats equipped with Borg Warner Velvet drive transmissions. Features 'top-mount' starter placement for easy access and corrosion protection.



Catalog No.	Item No.
32400	1640
Polished 32401	1641

## BORG WARNER/CHEVROLET REAR MOUNT STANDARD

Standard rear mount for Borg Warner Velvet drive transmissions. Cast aluminum.



Catalog No.	Item No.
32424	781
Polished 32425	784

**BORG WARNER  
FORD REAR MOUNT**

Ford 429 - 460

Fits Borg Warner transmissions. Use either flywheel, but must have stock plate that fits between engine and transmission.



Catalog No.	Item No.
32414	782

**BORG WARNER  
OIL COOLER HOSES**



Fits Borg Warner transmissions. Hoses are 15" and 18" and are sold in pairs.

Catalog No.	Item No.
32420	788

**BORG WARNER  
DRIVE DAMPNER**

For use with Borg Warner 71 and 72 transmissions. Made to go onto the clutch flywheel.

Catalog No.	Item No.
32406	779

